








WorkFit-S with Worksurface, Single LCD Mount, LD



*Keyboard Tray has 9 Mounting Locations - see page 5 for details.




Weight Capacity:



Desk Thickness:

≤ 2.4" (60 mm)



Portrait/Landscape rotation stop screw can be installed for 0° rotation.



© 2014 Ergotron, Inc. rev. 06/25/2014 DIM-WorkFit-S-Worksurface Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sale


Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales


www.ergotron.com
info.oem@ergotron.com



WorkFit-S with Worksurface, Single LCD Mount, HD




Weight Capacity:




*Keyboard Tray has 9 Mounting Locations - see page 5 for details.


Lowest Position



Highest Position







Worksurface:



Desk Thickness:

≤ 2.4" (60 mm)



Portrait/Landscape rotation stop screw can be installed for 0° rotation.

© 2014 Ergotron, Inc. rev. 06/25/2014 DIM-WorkFit-S-Worksurface Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sale


Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com






WorkFit-S with Worksurface, Dual






*Keyboard Tray has 9 Mounting Locations - see page 5 for details.

Weight Capacity:



Desk Thickness: ≤ 2.4" (60 mm)



© 2014 Ergotron, Inc. rev. 06/25/2014 DIM-WorkFit-S-Worksurface Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sale

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com





[illegible]








Weight Capacity:

- A** 6 - 16 lbs (2.7-7.3 kg)
- B** ≤ 10 lbs (4.5 kg)
- C** ≤ 5 lbs (2.3 kg)
- D** ≤ 5 lbs (2.3 kg)


A+B+C+D ≤ 25 lbs (11.3 kg)



Desk Thickness: $\leq 2.4''$ (60 mm)



WorkFit-S with Worksurface, Keyboard Tray



© 2014 Ergotron, Inc. rev. 06/25/2014 DIM-WorkFit-S-Worksurface Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sale

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com

